

SPLIT TYPE
ROOM AIR CONDITIONER
**FLOOR CONSOLE /
UNDER CEILING**
DUAL type

SERVICE MANUAL



Indoor unit	Outdoor unit
ABY18FBBJ	AOY18FNBK
ABY18FBBJ	AOY18FNBN
ABY18UBBJ	AOY18UNBKL
ABY18UBBJ	AOY18UNBNL
ABY24FBBJ	AOY24FNBK
ABY24FBBJ	AOY24FNBN
ABY24UBBJ	AOY24UNBKL
ABY24UBBJ	AOY24UNBNL

CONTENTS

SPECIFICATIONS	1
OUTLINE AND DIMENSIONS	3
REFRIGERANT SYSTEM DIAGRAM....	5
CIRCUIT DIAGRAM.....	7
INDOOR PCB CIRCUIT DIAGRAM.....	9
ERROR DISPLAY.....	11
DISASSEMBLY ILLUSTRATION.....	12
PARTS LIST.....	25
STANDARD ACCESSORIES.....	29

SPECIFICATIONS

TYPE	Cooling	
INDOOR UNIT	ABY18FBBJ	ABY24FBBJ
OUTDOOR UNIT	AOY18FNBK AOY18FNBN	AOY24FNBK AOY24FNBN
COOLING CAPACITY	5.40 kW	6.50 kW

ELECTRICAL DATA

POWER SOURCE	230 V	230 V
FREQUENCY	50 Hz	50 Hz
RUNNING CURRENT	8.5 A	11.0 A
INPUT WATTS	1.92 kW	2.45 kW
E.E.R.	2.81 kW/kW	2.65 kW/kW
MOISTURE REMOVAL	2.0 l/hr	2.5 l/hr
AIR CIRCULATION high	780 m³/hr	880 m³/hr

COMPRESSOR

TYPE	Hermetic type, Deposit electrode condenser, 2 poles. Single phase, Induction motor, Rotary	
DISCRIMINATION	5KS225DAC	5JS290DAA
REFRIGERANT R410A	900 g	1,550 g

FAN MOTOR

POWER SOURCE		230 V	
INDOOR UNIT	Discrimination	MFA-18JTT	MFA-24JTT
	High speed	1,030 r.p.m.	1,180 r.p.m.
	Med speed	890 r.p.m.	1,040 r.p.m.
	Low speed	770 r.p.m.	900 r.p.m.
OUTDOOR UNIT	Discrimination	MFB-24JTT	
	High speed	780 r.p.m.	

DIMENSIONS

INDOOR UNIT	H x W x D	199 x 990 x 655 mm
OUTDOOR UNIT	H x W x D	650 x 830 x 320 mm

WEIGHT

INDOOR UNIT	GROSS / NET	37 kg / 28 kg	
OUTDOOR UNIT	GROSS / NET	51 kg / 47 kg	62 kg / 58 kg

REFRIGERANT CHARGE (R410A)

FULL CHARGE AMOUNT	PIPE LENGTH	7.5 m (25 ft)	900 g (31.8oz)	1,550 g (54.7oz)
		10 m (33 ft)	950 g (33.5oz)	1,600 g (56.4oz)
		15 m (49 ft)	1,050 g (37.0oz)	1,700 g (60.0oz)
		20 m (66 ft)	1,150 g (40.6oz)	1,800 g (63.5oz)
ADDITIONAL REFRIGERANT		20 g/m (0.71oz / 3.3ft)		

TYPE	Cool and Heat	
INDOOR UNIT	ABY18UBBJ	ABY24UBBJ
OUTDOOR UNIT	AOY18UNBKL AOY18UNBNL	AOY24UNBKL AOY24UNBNL
COOLING CAPACITY	5.40 kW	6.50 kW
HEATING CAPACITY	6.00 kW	7.40 kW

ELECTRICAL DATA

POWER SOURCE	230 V		
FREQUENCY	50 Hz		
RUNNING CURRENT	COOLING	8.6 A	10.8 A
	HEATING	8.3 A	10.3 A
INPUT WATTS	COOLING	1.90 kW	2.42 kW
	HEATING	1.85 kW	2.30 kW
E.E.R.	COOLING	2.84 kW/kW	2.69 kW/kW
	HEATING	3.24 kW/kW	3.22 kW/kW
MOISTURE REMOVAL	2.0 l/hr		2.5 l/hr
AIR CIRCULATION high	780 m³/hr		880 m³/hr

COMPRESSOR

TYPE	Hermetic type, Deposit electrode condenser, 2 poles, Single phase, Induction motor, Rotary		
DISCRIMINATION	5KS225DAC	5JS290DAA	
REFRIGERANT	R410A	1,550 g	1,700 g

FAN MOTOR

POWER SOURCE	230 V		
INDOOR UNIT	Discrimination	MFA-18JTT	MFA-24JTT
	High speed	1,030 r.p.m.	1,180 r.p.m.
	Med speed	890 r.p.m.	1,040 r.p.m.
	Low speed	770 r.p.m.	900 r.p.m.
OUTDOOR UNIT	Discrimination	MFB-24JTBT	
	High speed	780 r.p.m.	
	Low speed	400 r.p.m.	

DIMENSIONS

INDOOR UNIT	H x W x D	199 x 990 x 655 mm
OUTDOOR UNIT	H x W x D	650 x 830 x 320 mm

WEIGHT

INDOOR UNIT	GROSS / NET	37 kg / 28 kg	
OUTDOOR UNIT	GROSS / NET	56 kg / 52kg	63 kg / 59 kg


REFRIGERANT CHARGE (R410A)

FULL CHARGE AMOUNT	PIPE LENGTH	7.5 m (25 ft)	1,550 g (54.7oz)	1,700g (60.0oz)
		10 m (33 ft)	1,600 g (54.6oz)	1,800 g (63.5oz)
		15 m (49 ft)	1,700 g (60.0oz)	2,000 g (70.6oz)
		20 m (66 ft)	1,800 g (63.5oz)	2,200 g (77.6oz)
ADDITIONAL REFRIGERANT		20 g/m (0.71oz / 3.3ft)	40 g/m (1.42oz / 3.3ft)	


OUTLINE AND DIMENSIONS

INDOOR UNIT


Unit : mm



(rear view)




OUTDOOR UNIT
Unit : mm




REFRIGERANT SYSTEM DIAGRAM

Models :
 ABY18FBBJ / AOY18FNBK
 ABY18FBBJ / AOY18FNBN




Models :
 ABY24FBBJ / AOY24FNBK
 ABY24FBBJ / AOY24FNBN



Models :

ABY18UBBJ / AOY18UNBKL



ABY18UBBJ / AOY18UNBNL




Models :


ABY24UBBJ / AOY24UNBKL

ABY24UBBJ / AOY24UNBNL




CIRCUIT DIAGRAM





INDOOR PCB CIRCUIT DIAGRAM


Controller PCB Assy
ABY18FBBJ : EZ-002YWSE-C
ABY24FBBJ : EZ-002TWSE-C



Controller PCB Assy

ABY18UBBJ : EZ-00211HSE-C

ABY24UBBJ : EZ-00210HSE-C



ERROR DISPLAY


The OPERATION, TIMER and SWING lamps operate as follows according to the error contents.

○ : Fast flashing ● : Slow flashing — : Off


Error contents	Error display		
	OPERATION (RED)	TIMER (GREEN)	SWING (ORANGE)
Indoor unit circuit board error	○	○	—
Indoor unit room temperature sensor wire opened	2 times ●	○	—
Indoor unit room temperature sensor wire short circuited	2 times ●	○	○
Indoor unit piping sensor wire opened	3 times ●	○	—
Indoor unit piping sensor wire short circuited	3 times ●	○	○
Indoor unit fan error	6 times ●	○	—

DISASSEMBLY ASSEMBLY


INDOOR UNIT




INDOOR UNIT




INDOOR UNIT








Model : ABY18FBBJ




Models :
ABY18UBBJ
ABY24FBBJ
ABY24UBBJ









OUTDOOR UNIT








Models :
 AOY18FNBK
 AOY18FNBN
 AOY24FNBK
 AOY24FNBN





Models :
 AOY18UNBKL
 AOY18UNBNL
 AOY24UNBKL
 AOY24UNBNL





Models :
 AOY18FNBK
 AOY18FNBN




Models :
 AOY18UNBKL
 AOY18UNBNL



Models :
AOY24FNBK
AOY24FNBN



Models :
 AOY24UNBKL
 AOY24UNBNL



PARTS LIST

INDOOR UNIT

Ref.	Description	Part number				
		ABY18FBBJ	ABY18UBBJ	ABY24FBBJ	ABY24UBBJ	
8-1	Air Filter	9358567029	9358567029	9358567029	9358567029	
34	Capacitor (Fan Motor)	9703306044	9703306044	9703306044	9703306044	
36-2	Cord Holder Metal	9356362008	9356362008	9356362008	9356362008	
56	Sirocco Fan Assy	9385258006	9385258006	9385258006	9385258006	
67	Rubber (Vibration-proof)	9385102002	9385102002	9385102002	9385102002	
69	Louver	9358561010	9358561010	9358561010	9358561010	
68	Cap	9358563007	9358563007	9358563007	9358563007	
108	Base Assy	9359061038	9359061038	9359061038	9359061038	
109	Casing	9358543009	9358543009	9358543009	9358543009	
124	Kit (Dew Proof Plate Sub Assy)	9372673010	9372673010	9372673010	9372673010	
126	Motor Fixing Table Assy	9358591000	9358591000	9358591000	9358591000	
127	Drain Hose Assy	9359242000	9359242000	9359242000	9359242000	
138	Kit (Separate Wall A Sub Assy)	9372666012	9372666012	9372666012	9372666012	
146	Evaporator Assy KB07	-----	9362513036	9362513036	9362513036	
146	Evaporator Assy KB45	9362513029	-----	-----	-----	
160	Drain Pan Assy	9358568002	9358568002	9358568002	9358568002	
164	Fan Motor Assy-IN MFA-24JTT	-----	-----	9601527015	9601527015	
164	Fan Motor Assy-IN MFA-18JTT	9601527022	9601527022	-----	-----	
173	Hanger Bracket-L	9358596005	9358596005	9358596005	9358596005	
174	Hanger Bracket-R	9358595008	9358595008	9358595008	9358595008	
184-1	Thermistor Spring-A	313728262708	313728262708	313728262708	313728262708	
187	Clamp No. 1219	313361271706	313361271706	313361271706	313361271706	
195	Clamp SKB-100	313361275805	313361275805	313361275805	313361275805	
196-1	Clamp SKB-3M	312300787605	312300787605	312300787605	312300787605	
210	Main Relay	9353611017	-----	9353611017	-----	
211	Cushion Rubber	313806328306	-----	313806328306	-----	
223	Control Box	9358600016	9358600016	9358600016	9358600016	
234	Thermistor Assy-Room	9703299087	9703299087	9703299087	9703299087	
235	Thermistor Assy-Pipe	9900022020	9900022020	9900022020	9900022020	
236	Controller PCB Assy	9704557216 (EZ-002YWSE-C)	9704557223 (EZ-00211HSE-C)	9704557131 (EZ-002TWSE-C)	9704557148 (EZ-00210HSE-C)	
240	Remote Control AR-JW1	-----	9371190013	-----	9371190013	
240	Remote Control AR-JW2	9371190020	-----	9371190020	-----	
320	Flap (Upper)-F	9358538012	9358538012	9358538012	9358538012	
321	Kit (Flap (Lower) Sub Assy)	9372671016	9372671016	9372671016	9372671016	
338	Motor Fixture	9358594001	9358594001	9358594001	9358594001	
361	Bushing	9357942001	9357942001	9357942001	9357942001	
361-2	Bushing-B, Plastic	9358554005	9358554005	9358554005	9358554005	
361-3	Bushing-C, Plastic	9358553008	9358553008	9358553008	9358553008	
365-1	Special Screw	9359092001	9359092001	9359092001	9359092001	
365-2	Special Screw	9359091004	9359091004	9359091004	9359091004	
381	Locking Spacer, KGLS-4S	313209391506	313209391506	313209391506	313209391506	
385	Indicator PCB Assy	9701873012	9701873012	9701873012	9701873012	
407	Motor Rod	9358560006	9358560006	9358560006	9358560006	
408	Louver Link	9358556009	9358556009	9358556009	9358556009	
416	Insulation (Panel)-A	9358574003	9358574003	9358574003	9358574003	
417	Insulation (Panel)-B	9358914007	9358914007	9358914007	9358914007	
418	Insulation (Flap Base)	9358572009	9358572009	9358572009	9358572009	
422	Clamp NK-10N	9359183006	9359183006	9359183006	9359183006	
443	Arm Bracket	9359281009	9359281009	9359281009	9359281009	
470	kit (Separate Wall B Sub Assy)	9373448013	9373448013	9373448013	9373448013	
472	Grille Support	9358602003	9358602003	9358602003	9358602003	
473	Filter Bracket	9358607008	9358607008	9358607008	9358607008	
488	Grill-F	9358532010	9358532010	9358532010	9358532010	

INDOOR UNIT (Continued)

Ref.	Description	Part number				
		ABY18FBBJ	ABY18UBBJ	ABY24FBBJ	ABY24UBBJ	
500	Protect Cover	9358564004	9358564004	9358564004	9358564004	
502	Support Stay	9358599006	9358599006	9358599006	9358599006	
503	Louver Shaft	9358557006	9358557006	9358557006	9358557006	
505	Louver Stopper	9358555002	9358555002	9358555002	9358555002	
506	Louver Rod	9358559000	9358559000	9358559000	9358559000	
508	Cosmetic Panel-R	9358535011	9358535011	9358535011	9358535011	
509	Cosmetic Panel-L	9358536018	9358536018	9358536018	9358536018	
514	Control Box Cover	9359097006	9359097006	9359097006	9359097006	
520	Flap Base	9358537015	9358537015	9358537015	9358537015	
521	Louver Link Cover	9358558003	9358558003	9358558003	9358558003	
554	Flap Link-Upper (Step Motor-V)	9358551004	9358551004	9358551004	9358551004	
555	Flap Link-Lower (Step Motor-V)	9358552001	9358552001	9358552001	9358552001	
558	Motor Rod-A (Step Motor-V)	9358550007	9358550007	9358550007	9358550007	
577	Catch TL-119	9359096009	9359096009	9359096009	9359096009	
578	Base Bracket (Reinforcement)	9358586006	9358586006	9358586006	9358586006	
580	Top Cover	9358534014	9358534014	9358534014	9358534014	
581	Protector, Metal (Fan Motor)	9359282006	9359282006	9359282006	9359282006	
625	Cord Bushing KR-51	9359240006	9359240006	9359240006	9359240006	
628	Locking Spacer-B	313005446558	313005446558	313005446558	313005446558	
652-1	Thermistor Holder Pipe	313806262805	313806262805	313806262805	313806262805	
653-2	Bolt	0700190018	0700190018	0700190018	0700190018	
684	Motor Base	9358562000	9358562000	9358562000	9358562000	
731-2	Holder (Guide Rail)	0600241018	0600241018	0600241018	0600241018	
743	Remote Control Holder	9305642014	9305642014	9305642014	9305642014	
755	Casing Cover	9358544006	9358544006	9358544006	9358544006	
764	Drain Cap	9358746004	9358746004	9358746004	9358746004	
771	Panel Assy	9359076018	9359076018	9359076018	9359076018	
735	Distributor Assy	9373034018	9373034032	9373034025	9373034025	
790	Coupring Pipe Assy	9373038016	9373038023	9373038023	9373038023	
800	Bypass Pipe Assy	9373032014	9373032021	9373032021	9373032021	
815	Terminal 7P	-----	9358660102	-----	9358660102	
824-3	Fuse BET3.15A - 250V	0600222512	0600222512	0600222512	0600222512	
870-1	Arm	9358565001	9358565001	9358565001	9358565001	
870-2	Center Arm	9359280002	9359280002	9359280002	9359280002	
875	Power Supply PCB Assy	9704561022	9704561077	9704561022	9704561077	
		(EZ-00101HSE-P)	(EZ-00210HSE-P)	(EZ-00101HSE-P)	(EZ-00210HSE-P)	
876-1	Step Motor-H	9359106012	9359106012	9359106012	9359106012	
876-2	Step Motor-V	9359105015	9359105015	9359105015	9359105015	
982	Cord Clamp	-----	9357886008	-----	9357886008	

OUTDOOR UNIT

Ref. No.	Description	Part No.		Ord. Q'ty
		AOY18FNBK AOY18FNBN	AOY24FNBK AOY24FNBN	
2	Fan Guard	9371187013	9371187013	
4	Emblem-Rear	9351355005	9351355005	
5	Front Panel Ptd	9371924014	9371924014	
7	Connector Cover (Cabinet)	9366398004	9366398004	
8	Wire Assy (Comp)	9372334010	9372334010	
9	Side Panel R Ptd	9371927015	9371927015	
12	Base Assy, Ptd	9371920054	9371920016	
13-1	3-Way Valve Assy	9372205013	9372205013	
13-2	2-Way Valve Assy	9372204016	9372204023	
16	Condenser Assy	9372181041	9372181027	
26	Compressor Cover	9372327012	9372327012	
29	Separate Wall	9371933016	9371933016	
32	Control Box	9371935010	9371935010	
34	Capacitor, Plastic	9900130022	9900130022	
37	Running Capacitor	9703107122	9703107023	
38	Capacitor Clamp Metal	9351770013	313791061807	
39	Propeller Fan Assy	9366378013	9366378013	
41	Motor Induct	9601671022	9601671022	
45-1	Motor Bracket	9371929019	9371929019	
45-2	Motor Bracket-Top	9371931012	9371931012	
45-3	Motor Bracket Center	9371930015	9371930015	
45-4	Motor Bracket Bottom	9371932019	9371932019	
46	Compressor Assy	9372558027	9372558010	
47-1	Rubber (Discharge Pipe)	313194159807	313194159807	
51	Special Nut M5	9300301015	9300301015	
55	Special Nut M8	9355091008	9355091008	
64	Side Panel L Ptd	9371926018	9371926018	
69-3	Bolt, Hex. Socket	301210060360	301210060360	
85	Valve Plate Ptd	9371928012	9371928012	
107	Rubber Seat-A	9351049010	9351049010	
109	Termminal Cover (Comp)	9371511016	9371511016	
187	Clip (Cable)	9352715006	9352715006	
218-3	Relay	9900074012	9900074012	
272	Strainer	9369287008	9369287008	
412	Cover Gasket (Comp.)	9371512013	9371512013	
527	Protectiive Net	9371934013	9371934013	
734	Top Plate	9371925011	9371925011	
735-3	Capillary Assy	9372197066	9372197059	
754	Terminal Gask. Washer	9351053017	9351053017	
815	Terminal-5P	9356497021	9356497021	
823-3	Fuse Holder	0500063024	0500063024	
824-4	Fuse	0600222529	0600222529	
982-1	Cord Clamp-A	9359822011	9359822011	
982-2	Cord Clamp-B	9359823018	9359823018	





OUTDOOR UNIT


Ref. No.	Description	Part No.		Ord. Q'ty
		AOY18UNBKL AOY18UNBNL	AOY24UNBKL AOY24UNBNL	
2	Fan Guard	9371187013	9371187013	
4	Emblem-Rear	9351355005	9351355005	
5	Front Panel Ptd	9371924014	9371924014	
7	Connector Cover (Cabinet)	9366398004	9366398004	
8	Wire Assy (Comp)	9372334010	9372334010	
9	Side Panel R Ptd	9371927015	9371927015	
12	Base Assy, Ptd	9371920054	9371920016	
13-1	3-Way Valve Assy	9372205013	9372205013	
13-2	2-Way Valve Assy	9372204016	9372204023	
16	Condenser Assy	9372181034	9372181010	
26	Compressor Cover A	9372327012	9372327012	
29	Separate Wall	9371933016	9371933016	
32	Control Box	9371935010	9371935010	
34	Capacitor, Plastic	9900130022	9900130022	
37	Running Capacitor	9703107122	9703107023	
38	Capacitor Clamp Metal	9351770013	313791061807	
39	Propeller Fan Assy	9366378013	9366378013	
41	Motor Induct	9601671015	9601671015	
45-1	Motor Bracket	9371929019	9371929019	
45-2	Motor Bracket-Top	9371931012	9371931012	
45-3	Motor Bracket Ctr	9371930015	9371930015	
45-4	Motor Bracket Bottom	9371932019	9371932019	
46	Compressor Assy	9372558027	9372558010	
51	Special Nut M5	9300301015	9300301015	
55	Special Nut M8	9355091008	9355091008	
64	Side Panel L Ptd	9371926018	9371926018	
69-3	Bolt, Hex. Socket	301210060360	301210060360	
85	Valve Plate Ptd	9371928012	9371928012	
107	Rubber Seat-A	9351049010	9351049010	
109	Teminal Cover (Comp)	9371511016	9371511016	
187	Clip (Cable)	9352715006	9352715006	
199	Br Sheet	9363708059	-----	
218-3	Relay	9900074012	9900074012	
218-4	Power Relay	-----	-----	
259	Muffler	9372369012	-----	
271	4-Way Valve Rubber	313728251908	313728251908	
272	Strainer	9369287008	9369287008	
333	Accumulator	-----	9368391003	
343	Solenoid	9900165017	9900165017	
344	4-Way Valve	9970036019	9900163013	
361	Accum Support Assy	-----	9372252017	
412	Cover Gasket (Comp.)	9371512013	9371512013	
413	Heater (Crank Case)	-----	-----	
527	Protectiive Net	9371934013	9371934013	
734	Top Panel	9371925011	9371925011	
735-3	Capillary Assy	9372197042	9372197028	
754	Terminal Gask. Washer	9351053017	9351053017	
815-3	Terminal-5P	9358660119	9358660119	
823-2	Fuse Holder	0500063024	0500063024	
824-4	Fuse	0600222529	0600222529	
982-1	Cord Clamp-A	9359822011	9359822011	
982-2	Cord Clamp-B	9359823018	9359823018	

STANDARD ACCESSORIES


The following installation parts are furnished. Use them as required.

INDOOR UNIT ACCESSORIES

Name and Shape	Q'ty	Application	Parts No.
Cover plate (left) 	1		9358536018
Cover plate (right) 	1		9358535011
Installation template 	1	For positioning the indoor unit For under ceiling type	9359107002
Bracket (left) 	1	For suspending the indoor unit from ceiling	9358596005
Bracket (right) 	1		9358595008
Anchor bolt (M12) 	4		313806339400
Special nut 	4		
Spring washer 	4		301821112213
Wall bracket 	2	For suspending the indoor unit on the wall	9358597002
Tapping screw (φ4 x 20) 	6	For fixing the wall bracket	301141164200
Tapping screw (φ4 x 10) 	2		301171164104
Coupler heat insulator (large) 	1	For indoor side pipe joint (Large pipe)	9350716012
Coupler heat insulator (small) 	1	For indoor side pipe joint (Small pipe)	313209328104
Nylon fastener 	1	For fixing the drain hose	312300787605

Name and Shape	Q'ty	Application	Parts No.
Drain hose 	1		9359242000
Insulation (drain hose) 	1	Adhesive type 70 x 230	9359225003
VT wire 	1	For fixing the drain hose L 280 mm	313806350303
Remote control unit 	1	Use for air conditioner operation	9371190020 (for cooling model) 9371190013 (for cooling & heating model)
Remote control unit holder 	1	Use as remote control unit holder	9305642014
Battery (penlight) 	2	For remote control unit	0600185534
Tapping screw (φ3 x 12) 	2	For remote control unit holder installation	301141533125

OUTDOOR UNIT ACCESSORIES

Name and Shape	Q'ty	Application
Drain pipe 	1	For outdoor unit drain piping work [Heat & Cool model (Reverse cycle) only]
Drain cap 	2	

OPTIONAL PARTS FOR INDOOR UNIT

Name and Shape	Q'ty	Application	Parts No.
Joint pipe-A 		For indoor side pipe joint	9302812021

